

ULT 200.1



LASER FUMES



DUST AND SMOKE



SOLDERING FUMES



ODORS, GASES, AND VAPORS



CLEANING INDUSTRIAL GASES



NEW EMISSIONS



WELDING FUMES




OIL AND EMULSION MISTS



COMPLETE SOLUTIONS

Version: 010

Dated: 11/2022





Accessory articles

Devices	3
DN50 extraction system	4
DN80 extraction system	5
DN100 exhaust air extraction system.....	6
Interface accessories.....	6
Replacement filter	7

In conjunction with their filters, the ULT 200.1 filter devices offer a specific solution for all extraction purposes

ULT AG offers a range of selected suction hoses and accessories for individually configuring the ULT 200.1. The 90° bends and sleeves allow space-saving, permanent installation. The product range includes DN50 and DN80 diameters. For example, the Y-piece allows two extraction arms to be operated from a single DN50 connection on the device. The DN80 to DN75 reducer allows connection to System 75 extraction arms.

The ULT 200.1 can be operated with up to 4 extraction arms from the Danish manufacturer Alsident®. The practical mounting console allows an extraction arm to be mounted directly on the device. A wide range of System 50 and System 75 extraction are available for the device.

To ensure full capture, you can select collecting elements matching the pollution source. Extractor tubes offer full extraction performance in the smallest possible space, flat hoods concentrate the extraction flow, round hoods catch rising vapors and suction gaps allow extraction along a linear path.

The range of DN 100 hoses and sockets allow you to integrate the ULT 200.1 into your exhaust air extraction system.

For ergonomic integration of the ULT 200.1 into your workplace, ULT AG also offer a foot switch for switching the device on and off. The 8-pin M12- connection cable allows integration of the ULT 200.1 into your machine.

For worldwide operation, ULT provides country-specific power cables free of charge: in addition to the standard European CEE 7/7 cable, these also include Swiss, UK and US cables as desired.



Devices

The accessory portfolio relates to the following devices:

ACD – Odor, Gas and Vapors



ACD 200.1 MD.20 A6	230 m ³ /h - VFS	ACD 0200.1-MD.20.50.1001
50% Chemisorption		9-00048
100% Chemisorption		9-00049



ACD 200.1 MD.20 A14	230 m ³ /h - VFS	ACD 0200.1-MD.20.50.1006
50% Chemisorption		9-00050
100% Chemisorption		9-00051

ASD – Dust and Smoke




ASD 200.1 MD.20 H	230 m ³ /h - VFS	ASD 0200.1-MD.20.50.3059
-------------------	-----------------------------	--------------------------



ASD 200.1 MD.20 TH	230 m ³ /h - VFS	ASD 0200.1-MD.20.50.3060
--------------------	-----------------------------	--------------------------

LAS – Laser Fumes



LAS 200.1 MD.20 K	230 m ³ /h - VFS	LAS 0200.1-MD.20.50.6028
-------------------	-----------------------------	--------------------------



LAS 200.1 MD.20 TK	230 m ³ /h - VFS	LAS 0200.1-MD.20.50.6030
--------------------	-----------------------------	--------------------------

LRA – Soldering Smoke



LRA 200.1 MD.20 K	230 m ³ /h - VFS	LRA 0200.1-MD.20.50.6006
-------------------	-----------------------------	--------------------------

DN50 extraction system

Hoses



Flexible extraction hose DN 50, 2m	Antistatic, incl. 90° bend, socket and worm drive hose clips	3-00485
Flexible extraction hose DN 50, 3m	Antistatic, incl. 90° bend, socket and worm drive hose clips	3-00486
Flexible extraction hose DN 50, 5m	Antistatic, incl. 90° bend, socket and worm drive hose clips	3-00487
Flexible extraction hose DN 50, per meter	Antistatic, without accessories	6-06872

Hose accessories



Bend 90° DN 50	Antistatic, incl. worm drive hose clip	3-00494
Socket DN 50	Antistatic, incl. worm drive hose clip	3-00495
Y-piece DN 50 - 2*DN 50	Antistatic	6-06970

Extraction arm mounting elements



ULT 200.1 S50 console	Series 200.1 For Alsident System 50	3-00319
Table bracket black	Alsident System 50, accessory	2-5010-050

Extraction arms



Alsident system 50, antistatic extraction arm	945 mm for table/device mounting	50-4737-1-6
---	----------------------------------	-------------

Collecting elements



Flat screen antistatic	Alsident System 50, accessory	1-503324-6
Round hood aluminium antistatic	Alsident System 50, accessory	1-5024-6
Extractor tube antistatic	Alsident System 50, accessory	1-5021-6
Suction gap antistatic	Alsident System 50, accessory	1-5020-6

DN80 extraction system

Hoses



Flexible extraction hose DN 80, 2m	Antistatic, incl. 90° bend, socket and worm drive hose clips	3-00489
Flexible extraction hose DN 80, 3m	Antistatic, incl. 90° bend, socket and worm drive hose clips	3-00490
Flexible extraction hose DN 80, 5m	Antistatic, incl. 90° bend. socket and worm drive hose clips	3-00491
Flexible extraction hose DN 80, per meter	Antistatic, without accessories	6-06874

Hose accessories



Bend 90° DN 50	Antistatic, incl. worm drive hose clip	3-00496
Socket DN 50	Antistatic, incl. worm drive hose clip	3-00497
Reducer DN 80 - DN 75	Antistatic, for connecting a DN80 hose to the System 75 extraction arm, incl. worm drive hose clip	3-00499

Extraction arm mounting elements



ULT 200.1 S75 Console	Series 200.1 For Alsident System 75	3-00320
Table bracket white	Alsident System 75, accessory	2-7510

Extraction arms



Alsident System 75, Absaugarm	1290mm for table/device mounting	75-6555-1-5
-------------------------------	----------------------------------	-------------

Collecting elements



Flat screen	Alsident System 75, accessory	1-753324-5
Round hood aluminium	Alsident System 75, accessory	1-7524-5
Extractor tube	Alsident System 75, accessory	1-7525

ULT 200.1

DN100 exhaust air extraction system

Hoses and hose accessories



Flexible extraction hose DN 100, per meter	Antistatic, without accessories	6-06875
Socket DN 100	Antistatic, incl. worm drive hose clip	3-00500

Interface accessories

M12 interface accessories



M12 connection cable	incl. M12 Male adapter, length 3m	3-00234
M12 On/Off foot switch	incl. M12 Male adapter, length 3m	3-00235


Device power cables – supplied free of charge with ordered device



Swiss device power cable	Length 3.00 m	6-06056
UK device power cable	Length 2.00 m	6-06063
USA device power cable	Length 2.00 m	6-06091
EU device power cable (CEE 7/7) - included as standard	Length 3.00 m	6-05990


Replacement filter

ACD




Filter A6

G4 Z-Line filter	4-00299
Adsorption filter cassette A6	4-00389




Filter A14

G4 Z-Line filter	4-00299
Adsorption filter cassette A14	4-00391




Filter AC7

G4 Z-Line filter	4-00299
Chemisorption filter cassette AC7	4-00393




Filter AC17

G4 Z-Line filter	4-00299
Chemisorption filter cassette AC17	4-00418



Filter C11

G4 Z-Line filter	4-00299
Chemisorption filter cassette C11	4-00403




Filter C20

G4 Z-Line filter	4-00299
Chemisorption filter cassette C20	4-00413


Replacement filter

ASD



Filter H


Panel filter F - set of 5 pcs	4-00309
Particle filter cassette H14	4-00073



Filter TH


Pocket filter F - set of 5 pcs	4-00198
Empty frame for pocket filter	4-00079
Particle filter cassette H14	4-00073

LAS



Filter K


Expanded metal filter	4-00301
Prefilter set LAS K - set of 5 pcs	4-00604
Combined filter cassette H14A	4-00076



Filter TK

Expanded metal filter	4-00301
Pocket filter F - set of 5 pcs	4-00198
Empty frame for pocket filter	4-00079
Combined filter cassette H14A + mat	4-00080

LRA



Filter K

Expanded metal filter	4-00301
Filter mat M5-02/F7-02 - set of 10	4-00241
H13A combined filter cassette	4-00075